



• GET TO THE ROOT CAUSE •

www.fmdiagnostics.com

A unit of Functional Medicine Institute Pvt. Ltd.



Your Personalized Microbiome Insights

Name : Dummy Report

Gender : Female

Test ID : MMG021167MBG1224323

Date : 03/Jul/2026 03:36 PM

Welcome to Your Personalized Microbiome Insights

Congratulations on completing your microbiome test and taking a proactive step in optimizing your health. Understanding your health at a deeper level is one of the most important steps you can take toward long term wellbeing.

Your gut microbiome plays a powerful role in your overall health influencing digestion, energy, brain function, immune balance, and long term disease risk.

This report translates your unique microbiome data into personalized insights and practical actions to help you improve your health and wellbeing.

How to Read This Report

Your report includes:

- **Your Gut Health Summary** — a high level view of your results.
- **Your Actionable Insights and Action Plan** — the key recommendations to improve balance, function and overall gut health.
- **Your Detailed Microbiome Results** — a deeper look at your microbiome composition and functional patterns.

Getting the Most from Your Results

Your gut microbiome is complex but taking action to improve it does not have to be. Use this report as a guide to:

- Better understand your body and make meaningful changes to improve your health.
- Focus first on your top priority areas -small, targeted changes can have a meaningful impact and lead to lasting improvements.
- Consult with your healthcare practitioner for personalized guidance and next steps.
- Consider retesting every 3-6 months to measure progress and see how your microbiome responds to changes.

The Most Advanced Microbiome Testing Available

You have chosen one of the most comprehensive approaches to understanding your gut health. You have received detailed results using shotgun metagenomic sequencing an advanced method that captures the full diversity of your gut microbiome. It analyzes all microbial DNA providing actual data for deeper insights.

Important to Know

Your microbiome is dynamic and responsive it can change with diet and lifestyle. The results reflect a snapshot in time not a fixed state. Balance and diversity matter more than any single microbe. These insights are designed to guide decisions not diagnose conditions.

Remember lifestyle matters. Wishing you meaningful insights on your journey to better gut health.

Table of Contents

1. Your Gut Health Summary

- Gut Health Index
- Microbiome Overview

2. Your Action Plan

- Recommended Actions

3. Your Detailed Microbiome Results

- A. Microbiome Diversity
- B. Probiotic Biome - Good Bacteria
- C. Pathogenic Biome - Harmful Bacteria
- D. Archaea
- E. Fungi
- F. Viruses
- G. Protozoa
- H. Vitamin Regulation
- I. Short-Chain Fatty Acids
- J. Neurotransmitter Levels
- K. Antibiotic Resistance
- L. Inflammatory Markers
- M. Sleep Health
- N. Disease Risk
- O. Gastric Symptoms Risk

4. Handbook




Customer Information

Particulars	Details
Sample type	Stool
Sample Collection Date and Time	02/Dec/2024 12:15 PM
Sample receipt Date and Time	02/Dec/2024 05:14 PM
Sample ID	MMG021167MBG1224323
Kit ID	Stool Kit 01
Address	XXXXX
Contact Number	1234
Email	test@test.com
Sample Quality	Pass
Sample Quantity	Adequate
Date of birth	01-Jan-2000

1. Your Gut Health Summary

Gut Health Index



① Your Gut Health Index is calculated based on the levels of health-associated and disease-associated bacteria species. This provides an overall indication of gut health.

Microbiome Overview

Microbial Diversity Good 	Probiotic Biome - Good Bacteria Not Good Need Supplementation 	Pathogenic Biome - Harmful Bacteria Good 
Archaea Good 	Fungi Good 	Viruses Good 
Protozoa Not Good Detected protozoa 	Vitamin Regulation Not Good Deficient 	Short-Chain Fatty Acids Good 
Neurotransmitter Levels Not Good Imbalance 	Antibiotic Resistance Not Good Detected Resistance 	Inflammatory Markers Good 
Sleep Health Not Good Disruption 	Disease Risk Not Good Detected Risk 	Gastric Symptoms Risk Not Good Detected Risk 

① Refer to Detailed Microbiome Results and Action Plan section for detailed recommendations on improving your microbiome.
Repeat the test after 3 months to check whether your lifestyle changes are effective

2. Your Action Plan

Your gut microbiome analysis provides important insights into the composition and diversity of bacteria in your gut that can have a significant impact on your health. It helps identify imbalances in your microbiome associated with various health issues. Information obtained from this analysis can be used to design personalized diets and lifestyle changes to improve gut health and overall wellness.



Action Plan

Probiotic Biome - Good Bacteria

Low Probiotic	1. Consume a diet rich in fermented foods such as yogurt, kefir, kimchi, sauerkraut, miso and tempeh, which provide live beneficial microbes. 2. Support their growth with prebiotic fibers from garlic, onions, leeks, bananas, asparagus, oats and flaxseeds. 3. Include polyphenol-rich foods like green tea, berries and dark chocolate to nourish probiotics. 4. Limit processed foods, excessive sugar and artificial additives, which can disrupt gut balance. 5. A diverse, fiber-rich diet with plenty of whole foods will help maintain a thriving probiotic population.
---------------	--

Protozoa

Detected Protozoa	1. Consume hygienically prepared foods and use safe drinking water to reduce exposure to potentially harmful protozoa. 2. Wash fresh fruits and vegetables thoroughly before consumption. 3. Maintain a balanced diet that supports gut resilience and immune function. 4. Practice good food handling and personal hygiene to promote a healthy gut microbial environment.
-------------------	--

Neurotransmitter Levels

Low GABA	1. Foods that may support GABA production include legumes, whole grains, rice, buckwheat, tomatoes, spinach, potatoes, sweet potatoes, kale, and broccoli. 2. Mushrooms, chestnuts, and wild celery can also contribute to a healthy diet. 3. GABA is naturally present in fermented foods such as kimchi, miso, and tempeh, as well as green, black, and oolong teas. 4. Other foods that may contain GABA or support its production include cabbage, cauliflower, Brussels sprouts, and sprouted grains.
Low Acetylcholine	1. Incorporate extracts from squash, eggplant, and spinach in your diet. 2. Other foods in which acetylcholine is found are peas, mung beans, common beans, bitter orange, strawberries and radishes.
Low Serotonin	1. Incorporate fruits, vegetables, and seeds into your diet. 2. Key sources include green bananas, peppers, hazelnuts, tomatoes, cherry tomatoes, pineapples, plums, passion fruit, papaya, kiwi, velvet beans, spinach, Chinese cabbage, rice, green coffee beans, pomegranates, strawberries, chicory, green onions, and lettuce.

Antibiotic Resistance

Resistant	1. Prioritize a balanced diet rich in fiber, fermented foods and prebiotics to support beneficial gut bacteria. 2. Avoid excessive processed foods, practice good hygiene and consider probiotics to help restore gut microbiome balance and reduce the spread of resistant bacteria.
-----------	--

Sleep Health


Medium Risk Melatonin Production Potential	1. Include tryptophan-rich foods such as eggs, dairy, fish, soy, nuts, and seeds. 2. Consume prebiotic and fiber-rich foods to support beneficial gut bacteria. 3. Limit processed foods, excessive sugar, caffeine, and alcohol, especially in the evening. 4. Maintain regular meal timings and a consistent sleep schedule to support healthy melatonin production.
--	---

Disease Risk

Medium Risk Hypertension	Having a diet that includes fiber and omega-3 fatty acids has been found to lower blood pressure. Other foods include milk, chicken, buttermilk, yoghurt, salmon, oats, berries and leafy greens.
--------------------------	---

Gastric Symptoms Risk

Medium Risk Flatulence and bloating	1. Ginger can activate intestinal movements, relieving bloating and supporting metabolism. You can add ginger to your meals or enjoy ginger tea. 2. Cumin seeds or fennel help in the production of saliva, bile, gastric juice and pancreatic juice. This improves your digestion, especially reducing bloating and gas. 3. Increased intake of high fiber and fermented foods may help to ease from excessive flatulence and bloating.
-------------------------------------	--



3. Your Detailed Microbiome Results

- A. Microbiome Diversity
- B. Probiotic Biome - Good Bacteria
- C. Pathogenic Biome - Harmful Bacteria
- D. Archaea
- E. Fungi
- F. Viruses
- G. Protozoa
- H. Vitamin Regulation
- I. Short-Chain Fatty Acids
- J. Neurotransmitter Levels
- K. Antibiotic Resistance
- L. Inflammatory Markers
- M. Sleep Health
- N. Disease Risk
- O. Gastric Symptoms Risk

A. Microbiome Diversity


The human gut is composed of trillions of microbes. The microbes in our gut broadly fall under 5 different kingdoms - Bacteria, Archaea, Fungi, Protozoa and Viruses. Bacteria are the most common microbes in our gut



Bacteria



Archaea



Fungi




Protozoa



Viruses

The Taxonomic Hierarchy




Kingdom Distribution

The human gut harbors a vast array of microorganisms, collectively referred to as the gut microbiota. The gut microbiota is composed of various microbial species, including bacteria, archaea, fungi, viruses, and other microorganisms. Bacteria and archaea are the most abundant and well-studied microorganisms in the human gut.

KINGDOM	Normal Range (%)	Your Value (%)	Inference
Bacteria	99.7136-99.9955	99.9755	Normal
Protozoa	0.0025-0.0267	0.0105	Normal
Fungi	0.0017-0.0215	0.0085	Normal
Archaea	0.0001-0.2607	0.0055	Normal
Viruses	0-0.0011	0	Normal


Top Abundant Bacterial Phyla

Major bacterial populations (phyla) found in the gut microbiome are Firmicutes, Bacteroidetes, Actinobacteria, Proteobacteria, Verrucomicrobia and Fusobacteria each of which can perform various functions, and contribute to the overall health of the gut. Presence of bacterial populations in optimal proportions indicates a healthy gut. Higher or lower proportions may lead to improper body weight, and may also indicate a disease risk.



Top Abundant Bacterial Genera

The composition and abundance of different bacterial genera can have significant effects on various aspects of our health. It is important to note that the composition of the gut microbiome can vary greatly between individuals, and can be influenced by factors such as diet, age, antibiotic usage and overall health.



Genera affected by your diet pattern

Your diet preference determines the type of bacteria enriched in your gut. Bacteroides and Prevotella are the most common genus present in the gut. Higher proportion of Prevotella indicates that you prefer plant-based diet rich in carbohydrates and fiber (non-Western diet), whereas, higher proportion of Bacteroides indicates that you prefer protein and fat rich diet (Western diet).

Microbial Proportion	Your Sample Value	Inference
Bacteroides-Prevotella	266.5698	You prefer protein and fat rich diet

Top Abundant Bacterial Species

Bacterial Species	Normal Range (%)	Your Value (%)	Inference
Phocaeicola vulgatus	0.0006-15.3263	14.1596	Normal
Phocaeicola plebeius	0.0008-7.0263	14.048	High
Bacteroides uniformis	0.0002-5.9646	4.9479	Normal
Sutterella wadsworthensis	0-1.9707	4.2179	High
Faecalibacterium longum	0.0019-4.2785	3.7278	Normal
Bifidobacterium catenulatum	0.0003-6.1498	3.6293	Normal
Paraprevotella clara	0-0.9536	2.6997	High
Bacteroides caccae	0.0021-5.8134	1.89	Normal
Lachnospira eligens	0-2.1826	1.8755	Normal
Bifidobacterium longum	0.0002-2.841	1.8621	Normal
Phocaeicola dorei	0.001-11.3595	1.8578	Normal
Roseburia inulinivorans	0.0012-6.6308	1.8552	Normal
Bacteroides thetaiotaomicron	0.0025-2.6082	1.8514	Normal
Bacteroides eggerthii	0.0001-0.4656	1.6726	High
Phascolarctobacterium faecium	0-1.1912	1.6631	High



B. Probiotic Biome - Good Bacteria

Probiotic biome refers to the beneficial microorganisms that inhabit the human gut. They play an important role in maintaining good health, as they boost the immune system, help with digestion and contribute to overall well-being. Lactobacillus and Bifidobacteria are the most commonly used microorganisms as probiotics.

Microbial Group	Normal Range (%)	Your Value (%)	Inference
Akkermansia muciniphila	0.0001-10.5092	0.0001	Normal
Bifidobacterium adolescentis	0.0002-3.7876	0.1614	Normal
Bifidobacterium animalis	0.0001-0.0133	0.0013	Normal
Bifidobacterium bifidum	0.0001-0.8055	0.0229	Normal
Bifidobacterium breve	0.0001-0.796	0.133	Normal
Bifidobacterium longum	0.0002-2.841	1.8621	Normal
Lactocaseibacillus paracasei	0.0001-0.0095	0	Low
Lactiplantibacillus pentosus	0.0001-0.0016	0.0004	Normal
Lactiplantibacillus plantarum	0.0001-0.0022	0	Low
Lactobacillus delbrueckii	0.0001-0.0129	0.001	Normal
Lactobacillus gasseri	0.0001-0.005	0	Low
Lactobacillus helveticus	0.0001-0.0046	0	Low
Lactococcus lactis	0.0001-0.0033	0	Low
Ligilactobacillus salivarius	0.0001-0.113	0	Low
Limosilactobacillus fermentum	0.0001-0.0054	0.0001	Normal
Limosilactobacillus reuteri	0.0001-0.0002	0	Low
Streptococcus thermophilus	0.0001-0.0283	0.2998	Normal



C. Pathogenic Biome - Harmful Bacteria

Bacteria, viruses and fungi have the potential to disrupt the delicate balance of the human gut microbiome and compromise health. Understanding the dynamics of the pathogenic biome is crucial for identifying and combating infectious agents that may lead to various illnesses.

Microbial Group	Normal Range (%)	Your Value (%)	Inference
Bacillus cereus	0	0	Normal
Bacillus cytotoxicus	≤ 0.0007	0	Normal
Campylobacter jejuni	≤ 0.0021	0	Normal
Citrobacter freundii	≤ 0.0334	0.0007	Normal
Clostridioides difficile	≤ 0.0005	0	Normal
Clostridium botulinum	≤ 0.0001	0	Normal
Enterococcus faecalis	≤ 0.0379	0	Normal
Enterococcus faecium	≤ 0.0741	0.0002	Normal
Escherichia coli	≤ 4.4815	0.2001	Normal
Fusobacterium nucleatum	≤ 0.0002	0	Normal
Haemophilus influenzae	≤ 0.0022	0	Normal
Helicobacter pylori	0	0	Normal
Klebsiella pneumoniae	≤ 10.8926	0.0001	Normal
Listeria monocytogenes	≤ 0.0001	0	Normal
Mycobacterium avium	0	0	Normal
Proteus mirabilis	≤ 0.0036	0	Normal
Pseudomonas aeruginosa	≤ 0.0111	0	Normal
Salmonella enterica	≤ 0.0179	0.0018	Normal
Shigella boydii	≤ 0.9562	0.0519	Normal

Microbial Group	Normal Range (%)	Your Value (%)	Inference
Shigella dysenteriae	≤ 0.8198	0.0955	Normal
Shigella flexneri	≤ 0.7856	0.0772	Normal
Shigella sonnei	≤ 3.0649	0.0602	Normal
Streptococcus pneumoniae	≤ 0.001	0.0003	Normal
Vibrio cholerae	≤ 0.0001	0	Normal
Yersinia enterocolitica	≤ 0.0007	0	Normal



D. Archaea

Archaea contribute to important metabolic activities within the gut microbiome, particularly through methane production during the fermentation process. Their abundance reflects microbial metabolic activity and can influence digestive efficiency, intestinal transit, and the overall balance of the gut ecosystem. Information on important archaea that influence the human gut is provided below.

Microbial Group	Normal Range (%)	Your Value (%)	Inference
Candidatus Methanomassiliicoccus intestinalis	0-0.0001	0	Normal
Candidatus Methanosphaera massiliense	0-0.0001	0	Normal
Methanobrevibacter smithii	0-0.3187	0	Normal
Methanomethylophilus alvi	0-0.0002	0	Normal
Methanosphaera stadtmanae	0-0.0002	0	Normal



E. Fungi

The fungal community of the gut, known as the mycobiome, plays a supportive role in maintaining microbial diversity and immune homeostasis. Although fungi constitute a small proportion of the gut microbiome, changes in their abundance can influence microbial interactions and may be associated with gastrointestinal and inflammatory conditions. Information on important fungi that influence the human gut is provided below.

Microbial Group	Normal Range (%)	Your Value (%)	Inference
Candida albicans	0-0.0001	0	Normal
Candida tropicalis	0-0.0001	0	Normal
Malassezia globosa	0-0.0001	0	Normal
Malassezia restricta	0-0.0001	0	Normal
Nakaseomyces glabratus	0-0.0001	0	Normal
Rhodotorula spp.	0-0.0002	0	Normal



F. Viruses

The gut virome plays a crucial role in shaping the microbial ecosystem by regulating microbial populations and facilitating genetic exchange among microorganisms. Monitoring viral abundance provides valuable insights into microbial diversity, ecosystem stability, and the overall health of the gut microbiome. Information on important viruses that influence the human gut is provided below.

Microbial Group	Normal Range (%)	Your Value (%)	Inference
Enterovirus A	0-0.0001	0	Normal
Human astrovirus	0-0.0001	0	Normal
Human mastadenovirus F	0-0.0001	0	Normal
Norwalk virus	0-0.0001	0	Normal
Rotavirus A	0-0.0001	0	Normal
Sapporo virus	0-0.0001	0	Normal



G. Protozoa

Protozoa represent a diverse group of eukaryotic microorganisms that can influence the composition and function of the gut microbiome. Their presence may reflect environmental exposure, dietary habits, and host health, making their distribution an important component of comprehensive gut microbiome profiling. Information on important protozoa that influence the human gut is provided below.

Microbial Group	Normal Range (%)	Your Value (%)	Inference
Blastocystis hominis	0-0.002	0	Normal
Blastocystis sp. subtype 4	0-0.001	0	Normal
Cryptosporidium hominis	0-0.0001	0	Normal
Cyclospora cayetanensis	0-0.003	0.0007	High
Entamoeba histolytica	0-0.0001	0	Normal
Giardia intestinalis	0-0.0001	0	Normal



H. Regulation of Vitamin Levels

Gut microbiome plays a crucial role in regulating the levels of certain vitamins in the body. While some bacteria have the ability to produce vitamins such as B and K, some bacteria have the ability to regulate the levels of vitamins such as A and C. For example, Bifidobacteria and Lactobacilli, which are commonly found in the gut, produce B vitamins such as B12 and B9. Streptococcus and Lactobacillus produce Vitamin K. Having a healthy and diverse gut microbiome is important for maintaining proper levels of these vitamins, so that they help in maintaining a healthy immune system, supporting energy metabolism and promoting normal red blood cell formation. But it is important to note that while the gut microbiome can produce certain vitamins, it is still recommended to get these vitamins through a balanced diet, as the amount produced by the microbiome may not be enough to meet the body's needs.

Vitamin A

Vitamin A is a fat-soluble vitamin that plays a role in immune regulation, growth, reproduction and in normal functioning of various organs in our body. Maintaining a healthy gut microbiome is necessary to maintain normal levels of Vitamin A and to obtain protection against pathogens.

Vitamin	Inference	Risk Taxa
Vitamin A	Normal	--

Vitamin B

B vitamins are water-soluble organic compounds which are required for several physiological functions of the living organisms. They play a vital role in our body, like, neurotransmitter synthesis, immune functions and cell signaling. Our gut contains bacteria that produce B vitamins, but in limited amounts.

Vitamin	Inference	Risk Taxa
Vitamin B1	Normal	--
Vitamin B5	Low	<i>Low Abundance:Lactiplantibacillus_plantarum (S)</i>
Vitamin B6	Low	<i>Low Abundance:Lactiplantibacillus_plantarum (S)</i>
Vitamin B7	Normal	--
Vitamin B12	Low	<i>Low Abundance:Lactiplantibacillus_plantarum (S)</i>

Vitamin C

Vitamin C is a water soluble compound required for maintenance of important physiological functions of the body. Deficiency of this vitamin is associated with anemia, infections, scurvy and muscle degeneration. It also acts as a powerful antioxidant. Dietary doses of vitamin C in healthy individuals have been shown to increase richness of gut microbiota with several beneficial shifts in bacterial population.

Vitamin	Inference	Risk Taxa
Vitamin C	Normal	--

Vitamin D

Vitamin D is a fat-soluble vitamin which is required for bone strength, immunological and other important functions of the human body. Long term deficiency of this vitamin leads to skeletal deformities like rickets in children and osteomalacia in adults. Hypovitaminosis also leads to chronic disease like cancer, heart disease, autoimmune disease and diabetes. The amount of dietary vitamin D and its circulating levels may be involved in maintaining immune homeostasis in healthy individuals, partially via modulating the gut microbial composition.

Vitamin	Inference	Risk Taxa
Vitamin D	Normal	--

Vitamin K

Though Vitamin K is synthesized by our body, the amounts produced are often not sufficient to meet daily requirements. It is important to obtain it from dietary sources or from bacteria in the gut. The amount of vitamin K produced by the gut bacteria may be influenced by several factors, including the diet, gut microbiome composition, and overall health.

Vitamin	Inference	Risk Taxa
Vitamin K	Normal	--



I. Regulation of Short Chain Fatty Acids (SCFAs)

These SCFAs are required to maintain blood pressure and gut barrier homeostasis, metabolism of glucose and lipids and in the regulation of immune system and inflammatory responses.

1. Acetate is required for energy production, synthesis of lipids and protein acetylation.
2. Butyrate maintains intestinal barrier integrity, supplies energy to the large intestinal cells and regulates immune response.
3. Propionate plays a role in gluconeogenesis.

SCFA	Inference	Risk Taxa
Acetate	Normal	--
Butyrate	Normal	--
Propionate	Normal	--



J. Neurotransmitters

Gut Microbiome plays a key role in producing neurotransmitters and neurotransmitter precursors, which influence mood and brain function. The imbalance in gut bacteria in addition to other factors can affect mental health, and contribute to conditions like anxiety and depression.

Note: Your neurotransmitter levels can change with your lifestyle

Neurotransmitter	Inference	Risk Taxa
GABA	Low	Low Abundance:Lacticaseibacillus_paracasei (S)
Dopamine	Normal	--
Histamine	Normal	--
Acetylcholine	Low	Low Abundance:Lactiplantibacillus_plantarum (S)
Serotonin	Low	Low Abundance:Lactococcus_lactis (S)
Tryptamine	Normal	--



K. Antibiotic Resistance

Your gut microbiome can harbor antibiotic-resistant bacteria, which may spread resistance genes and reduce effectiveness of treatments. Overuse of antibiotics can disrupt gut balance, allowing resistant strains to thrive. Monitoring your microbiome can help identify resistance patterns and guide more effective antibiotic use.

Note: Your microbial resistance can change with your lifestyle

Antibiotic	Inference
Amikacin	Not Resistant
Aminoglycoside	Not Resistant
Amoxicillin-Clavulanic Acid	Not Resistant
Ampicillin	Not Resistant
Azithromycin	Not Resistant
Aztreonam	Not Resistant
Bacitracin	Not Resistant
Beta-Lactam	Not Resistant
Carbapenem	Not Resistant
Cefiderocol	Not Resistant
Ceftazidime-Avibactam	Not Resistant
Cephalosporin	Resistant
Chloramphenicol	Not Resistant
Clarithromycin	Not Resistant
Clindamycin	Not Resistant
Colistin	Not Resistant
Daptomycin	Not Resistant
Erythromycin	Not Resistant

Antibiotic	Inference
Fidaxomicin	Not Resistant
Fluoroquinolone	Not Resistant
Fosfomycin	Not Resistant
Gentamicin	Not Resistant
Imipenem	Not Resistant
Isoniazid	Not Resistant
Linezolid	Not Resistant
Meropenem	Not Resistant
Methicillin	Not Resistant
Metronidazole	Not Resistant
Mupirocin	Not Resistant
Nitrofurantoin	Not Resistant
Quinolone	Not Resistant
Rifampin	Not Resistant
Rifamycin	Not Resistant
Sulfonamide	Not Resistant
Tetracycline	Resistant
Tigecycline	Not Resistant
Tobramycin	Not Resistant
Trimethoprim-Sulfamethoxazole	Not Resistant
Vancomycin	Not Resistant



L. Inflammatory markers

Inflammatory markers are used to detect and measure systemic inflammation in the body. Their levels increase in response to infections, autoimmune diseases and certain cancers. These markers provide valuable information for diagnosis, monitoring disease progression, evaluating treatment response and assessing patient risk.

Inflammatory Markers	Inference	Risk Taxa
C-reactive protein	Low Risk	--
Tumor Necrosis Factor	Low Risk	--
Interleukins	Low Risk	--
Trimethylamine N-oxide	Low Risk	--
Calprotectin	Low Risk	--



M. Sleep Health

The gut microbiome regulates sleep through the gut-brain axis, a bidirectional network linking the gastrointestinal tract and the central nervous system. A balanced gut microbiome supports normal circadian rhythms, promotes restful sleep, and helps regulate stress responses. Microbial imbalance is associated with poor sleep quality and disrupted circadian rhythms.

Sleep Marker	Inference	Risk Taxa
Circadian Rhythm Regulation	Low Risk	--
Melatonin Production Potential	Medium Risk	<i>Low Abundance: Limosilactobacillus reuteri (S)</i>



N. Disease Risk


The gut microbiome plays a vital role in various aspects of human health. An imbalance in the gut microbiome, known as dysbiosis, is associated with various health problems, including metabolic disorders such as obesity and type 2 diabetes, autoimmune diseases, and mental health disorders such as depression and anxiety.

Disease	Disease Risk
Type 2 Diabetes	Low Risk
Rheumatoid arthritis	Low Risk
Hypertension	Medium Risk
Atherosclerosis	Low Risk
Chronic kidney disease	Low Risk
Colorectal cancer	Low Risk
Depression	Low Risk
Irritable bowel syndrome	Low Risk
Obesity	Low Risk
Gut Barrier Dysfunction	Low Risk

High & Medium Risk Diseases

Hypertension

The relationship between the gut microbiome and hypertension is influenced by many factors, including genetics, diet, and lifestyle. An increase in Firmicutes to Bacteroidetes ratio can lead to hypertension.



Risk Taxa

Low Abundance:Lacticaseibacillus_paracasei (S)

Recommendations

Having a diet that includes fiber and omega-3 fatty acids has been found to lower blood pressure. Other foods include milk, chicken, buttermilk, yoghurt, salmon, oats, berries and leafy greens.



O. Symptom Risk


Your microbiome can reveal potential risk for symptoms such as digestive issues, fatigue or inflammation. By understanding imbalances in your gut, you can proactively mitigate these risks and improve your symptoms.

Symptom	Symptom Risk
Stomach pain	Low Risk
Flatulence and bloating	Medium Risk
Constipation	Low Risk
Diarrhea	Low Risk

High & Medium Risk Symptoms

Flatulence and Bloating

Flatulence and bloating is determined by two main factors: the diet, particularly the amount of fermentable residues, and the composition and metabolic activity of colonic microbiota. Increased flatulence and bloating is caused by increased population of certain microbial species like Bifidobacteriales, Bilophila wadsworthia, Bacteroides ovatus, , Blautia sp., Clostridium sp. and Phascolarctobacterium sp. as well as decreased population of organisms like Oscillospiraceae.



Risk Taxa

High Abundance:Bilophila_wadsworthia (S)

Recommendations

1. Ginger can activate intestinal movements, relieving bloating and supporting metabolism. You can add ginger to your meals or enjoy ginger tea.
2. Cumin seeds or fennel help in the production of saliva, bile, gastric juice and pancreatic juice. This improves your digestion, especially reducing bloating and gas.
3. Increased intake of high fiber and fermented foods may help to ease from excessive flatulence and bloating.

4. Handbook

The handbooks and references in this section make it easy for you to implement your recommendations in your daily life and to deep dive into your microbiome analysis whenever you would like to.

- A. Food and Diet Plans
- B. Metabolites
- C. Microbiome
- D. Diseases and Symptoms
- E. Probiotics and Prebiotics



Scan/Click to
open the Handbook

General Recommendations



Food Recommendations

Maintaining a healthy gut is crucial for overall well-being. Here are some general food recommendations to support gut health in your daily life:

High Fiber Foods

Incorporate plenty of fiber-rich foods like whole grains, legumes, fruits, and vegetables. Fiber nourishes beneficial gut bacteria and supports regular bowel movements. Examples of fiber-rich foods are Whole grains like oats, quinoa, and brown rice; legumes such as lentils, beans, and chickpeas; fruits like berries, apples, and pears; vegetables including broccoli, spinach, and Brussels sprouts.

Probiotic Foods

Include fermented foods such as yogurt, kefir, sauerkraut, kimchi, and kombucha. These foods provide live beneficial bacteria that can promote a balanced gut microbiome.

Prebiotic Foods

Consume prebiotic-rich foods like garlic, onions, leeks, asparagus, and bananas. Prebiotics are non-digestible fibers that feed the beneficial bacteria in your gut.

Colorful Fruits and Vegetables

Eat a Variety of colorful produce to provide diverse nutrients and antioxidants that support gut health. Examples are red bell peppers, oranges, blueberries, spinach, beets, carrots, purple cabbage.

Healthy Fats

Choose sources of healthy fats like avocados, nuts, seeds, and olive oil. These fats can help reduce inflammation and support gut lining health. Avocados, nuts (almonds, walnuts), seeds (chia seeds, flaxseeds), olive oil.



Lifestyle Changes

Stay Mindful

Include fermented foods such as yogurt, kefir, sauerkraut, kimchi, and kombucha. These foods provide live beneficial bacteria that can promote a balanced gut microbiome.

Moderate Alcohol

Limit alcoholic beverages to occasional servings.

Hydration

Drink water, herbal teas, and consume hydrating foods like watermelon and cucumbers.

Minimize Processed Foods

Reduce intake of highly processed foods like packaged snacks, sugary cereals, sugary beverages, and fast food, as they may contain additives that negatively impact gut health.

Avoid Excessive Sugar

Limit sugary cereals, sugary drinks, candies, pastries, and desserts.

Disclaimer

- The gut microbiome is dynamic, and current understanding of its role in health is limited.
- Mapmybiome does not replace the advice or recommendations of healthcare professionals. It is important to consult with your healthcare provider or a qualified medical professional regarding any health concerns or conditions you may have.
- By using the company's services, you acknowledge and understand the limitations and potential risks associated with the interpretation and use of the test results. You agree to assume full responsibility for any decisions made based on the information provided by the Mapmybiome test.
- The results of a gut microbiome analysis are specific to the individual at the time of sample collection and may not reflect the long-term stability of their microbiome.
- The results of the analysis should not be used to diagnose or treat medical conditions and should be interpreted in conjunction with other medical information.
- The analysis may not detect all bacteria present in the gut and the results may be influenced by various factors such as diet, medications, anti-biotics and other health conditions.
- If you are currently taking antibiotics or have recently completed a course of antibiotics, please be aware that the test results may not accurately reflect your gut microbiome composition during antibiotic treatment or immediately afterward. It is recommended to wait for a sufficient period after completing antibiotic therapy before taking the test to obtain a more representative snapshot of your gut microbiome.
- Smoking and alcohol consumption can have negative impact on gut microbiome.
- Aging is associated with changes in the gut microbiome. In infancy, the gut microbiome is initially dominated by beneficial bacteria that are acquired from the mother during birth and through breast milk. As the individual grows, the gut microbiome becomes more diverse, but begins to decline in diversity as the person ages.
- The recommendations provided in the report are based on the current understanding of the gut microbiome and its relationship to health and may not be appropriate for everyone.

P. Sandhya kiran

Dr. Sandhya Kiran P, PhD
 VP - Bioinformatics

M Aravind Kumar

Dr. M Aravind Kumar, PhD
 Head of Lab Operations

SPS Satish

Mr. Sunkara Phani Sri Satish
 Team Leader

References

1. Stojanov S, Berlec A, Štrukelj B. The Influence of Probiotics on the Firmicutes/Bacteroidetes Ratio in the Treatment of Obesity and Inflammatory Bowel Disease. *Microorganisms*. 2020;8(11):1715. Published 2020 Nov 1.
2. Zafar H, Saier MH Jr. Gut Bacteroides species in health and disease. *Gut Microbes*. 2021;13(1):1-20.
3. Binda C, Lopetuso LR, Rizzatti G, Gibiino G, Cennamo V, Gasbarrini A. Actinobacteria: A relevant minority for the maintenance of gut homeostasis.
4. Rizzatti G, Lopetuso LR, Gibiino G, Binda C, Gasbarrini A. Proteobacteria: A Common Factor in Human Diseases. *Biomed Res Int*. 2017;2017:9351507.
5. Semova I, Carten JD, Stombaugh J, et al. Microbiota regulate intestinal absorption and metabolism of fatty acids in the zebrafish. *Cell Host Microbe*. 2012;12(3):277-288.
6. Tomova A, Bukovsky I, Rembert E, et al. The Effects of Vegetarian and Vegan Diets on Gut Microbiota. *Front Nutr*. 2019;6:47. Published 2019 Apr 17.
7. Fijan S. Microorganisms with claimed probiotic properties: an overview of recent literature. *Int J Environ Res Public Health*. 2014;11(5):4745-4767. Published 2014 May 5.
8. Gorvitovskaia A, Holmes SP, Huse SM. Interpreting Prevotella and Bacteroides as biomarkers of diet and lifestyle. *Microbiome*. 2016;4:15.
9. Morrison DJ, Preston T. Formation of short chain fatty acids by the gut microbiota and their impact on human metabolism. *Gut Microbes*. 2016;7(3):189-200.
10. Nogal A, Valdes AM, Menni C. The role of short-chain fatty acids in the interplay between gut microbiota and diet in cardio-metabolic health. *Gut Microbes*. 2021;13(1):1-24.
11. Bose S, Ramesh V, Locasale JW. Acetate Metabolism in Physiology, Cancer, and Beyond. *Trends Cell Biol*. 2019;29(9):695 - 703.
12. Chambers ES, Preston T, Frost G, Morrison DJ. Role of Gut Microbiota-Generated Short-Chain Fatty Acids in Metabolic and Cardiovascular Health. *Curr Nutr Rep*. 2018;7(4):198-206.
13. Mueller NT, Zhang M, Juraschek SP, Miller ER, Appel LJ. Effects of high-fiber diets enriched with carbohydrate, protein, or unsaturated fat on circulating short chain fatty acids: results from the OmniHeart randomized trial. *Am J Clin Nutr*. 2020;111(3):545-554.
14. Lv Z, Wang Y, Yang T, et al. Vitamin A deficiency impacts the structural segregation of gut microbiota in children with persistent diarrhea. *J Clin Biochem Nutr*. 2016;59(2):113-121.
15. <https://ods.od.nih.gov/factsheets/VitaminA-HealthProfessional/>
16. <https://www.sciencedirect.com/science/article/pii/S0271531721000580#bib0038>
17. Gilbert C. What is vitamin A and why do we need it?. *Community Eye Health*. 2013;26(84):65.
18. Hossain KS et. al., B Vitamins and Their Roles in Gut Health. *Microorganisms*. 2022 Jun 7;10(6):1168
19. Capozzi V. et. al., Lactic acid bacteria producing B-group vitamins: a great potential for functional cereals products. *Appl Microbiol Biotechnol*. 2012 Dec;96(6):1383-94
20. Ayivi RD. et. al., Lactic Acid Bacteria: Food Safety and Human Health Applications. *Dairy*. 2020;1(3):202 -232
21. Chambial S. et. al., Vitamin C in disease prevention and cure: an overview. *Indian J Clin Biochem*. 2013 Oct;28(4):314 -28
22. Otten AT. et. al., Vitamin C Supplementation in Healthy Individuals Leads to Shifts of Bacterial Populations in the Gut-A Pilot Study. *Antioxidants (Basel)*. 2021 Aug 12;10(8):1278
23. Lykkesfeldt J, Michels AJ, Frei B. Vitamin C. *Adv Nutr*. 2014 Jan 1;5(1):16 -8. doi: 10.3945/an.113.005157
24. Nair R, Maseeh A. Vitamin D: The "sunshine" vitamin. *J Pharmacol Pharmacother*. 2012 Apr;3(2):118 -26
25. Singh, Parul et al. "The potential role of vitamin D supplementation as a gut microbiota modifier in healthy individuals." *Scientific Reports* 10 (2020): n. pag.

References

26. Simes DC, Viegas CSB, Araújo N, Marreiros C. Vitamin K as a Diet Supplement with Impact in Human Health: Current Evidence in Age-Related Diseases. *Nutrients*. 2020 Jan 3;12(1):138. doi: 10.3390/nu12010138
27. Gordon Cooke, John Behan & Mary Costello (2006) Newly identified vitamin K-producing bacteria isolated from the neonatal faecal flora, *Microbial Ecology in Health and Disease*, 18:3-4, 133-138
28. Houtman TA, Eckermann HA, Smidt H, de Weerth C. Gut microbiota and BMI throughout childhood: the role of firmicutes, bacteroidetes, and short-chain fatty acid producers. *Sci Rep*. 2022;12(1):3140. Published 2022 Feb 24. doi:10.1038/s41598-022-07176-6
29. Magne F, Gotteland M, Gauthier L, et al. The Firmicutes/Bacteroidetes Ratio: A Relevant Marker of Gut Dysbiosis in Obese Patients?. *Nutrients*. 2020;12(5):1474. Published 2020 May 19.
30. Stojanov S, Berlec A, Štrukelj B. The Influence of Probiotics on the Firmicutes/Bacteroidetes Ratio in the Treatment of Obesity and Inflammatory Bowel disease. *Microorganisms*. 2020;8(11):1715. Published 2020 Nov 1.
31. <https://healthmatters.io/understand-blood-test-results/firmicutesbacteroidetes-fb-ratio>
32. Kho ZY, Lal SK. The Human Gut Microbiome - A Potential Controller of Wellness and Disease. *Front Microbiol*. 2018;9:1835. Published 2018 Aug 14.
33. Li B, Xia Y, Hu B. Infection and atherosclerosis: TLR-dependent pathways. *Cell Mol Life Sci*. 2020;77(14):2751-2769.
34. <https://www.sciencedirect.com/science/article/pii/S2772431X22000375#bib0064>
35. An update on beneficial role of conjugated linoleic acid (CLA) in modulating human health: Mechanisms of action, <https://www.researchgate.net/publication/291037863>
36. Jardine M. Nutrition Considerations for Microbiota Health in Diabetes. *Diabetes Spectr*. 2016;29(4):238-244.
37. Zhang L, Chu J, Hao W, et al. Gut Microbiota and Type 2 Diabetes Mellitus: Association, Mechanism, and Translational Applications. *Mediators Inflamm*. 2021;2021:5110276.
38. Cabo J, Alonso R, Mata P. Omega-3 fatty acids and blood pressure. *Br J Nutr*. 2012;107 Suppl 2:S195-S200.
39. Reynolds AN, Akerman A, Kumar S, Diep Pham HT, Coffey S, Mann J. Dietary fibre in hypertension and cardiovascular disease management: systematic review and meta-analyses. *BMC Med*. 2022;20(1):139. Published 2022 Apr 22.
40. Jose PA, Raj D. Gut microbiota in hypertension. *Curr Opin Nephrol Hypertens*. 2015;24(5):403-409.
41. Wehedy E, Shatat IF, Al Khodor S. The Human Microbiome in Chronic Kidney Disease: A Double-Edged Sword. *Front Med (Lausanne)*. 2022;8:790783. Published 2022 Jan 17.
42. Ghaffari P, Shoaie S, Nielsen LK. Irritable bowel syndrome and microbiome; Switching from conventional diagnosis and therapies to personalized interventions. *J Transl Med*. 2022;20(1):173. Published 2022 Apr 11.
43. Cozma-Petrut A, Loghin F, Miere D, Dumitraşcu DL. Diet in irritable bowel syndrome: What to recommend, not what to forbid to patients!. *World J Gastroenterol*. 2017;23(21):3771-3783.
44. Cheng Y, Ling Z, Li L. The Intestinal Microbiota and Colorectal Cancer. *Front Immunol*. 2020;11:615056. Published 2020 Nov 30.
45. Bear TLK, Dalziel JE, Coad J, Roy NC, Butts CA, Gopal PK. The Role of the Gut Microbiota in Dietary Interventions for Depression and Anxiety. *Adv Nutr*. 2020;11(4):890-907.
46. Cretoiu D, Ionescu RF, Enache RM, Cretoiu SM, Voinea SC. Gut Microbiome, Functional Food, Atherosclerosis, and Vascular Calcifications-Is There a Missing Link?. *Microorganisms*. 2021;9(9):1913. Published 2021 Sep 9.
47. Shen X, Li L, Sun Z, et al. Gut Microbiota and Atherosclerosis-Focusing on the Plaque Stability. *Front Cardiovasc Med*. 2021;8:668532. Published 2021 Aug 3.
48. Zhao T, Wei Y, Zhu Y, et al. Gut microbiota and rheumatoid arthritis: From pathogenesis to novel therapeutic opportunities. *Front Immunol*. 2022;13:1007165.

Name: Dummy Report
 Gender: Female
 City: XXXXX

Sample ID: MMG021167MBG1224323
 Report Date & Time: 03/Jul/2026 03:36 PM
 Page No: 35 of 37

References

49. Dourado E, Ferro M, Sousa Guerreiro C, Fonseca JE. Diet as a Modulator of Intestinal Microbiota in Rheumatoid Arthritis. *Nutrients*. 2020;12(11):3504. Published 2020 Nov 14.
50. M, Rudolph C. Visceral pain and gastrointestinal microbiome. *J Neurogastroenterol Motil*. 2015 Mar 30;21(2):172-81.
51. Abomoelak B, Pemberton V, Deb C, Campion S, Vinson M, Mauck J, Manipadam J, Sudakaran S, Patel S, Saps M, Enshasy HAE, Varzakas T, Mehta DI. The Gut Microbiome Alterations in Pediatric Patients with Functional Abdominal Pain Disorders. *Microorganisms*. 2021 Nov 15;9(11):2354.
52. Igarashi H, Nago N, Kiyokawa H, Fukushi M. Abdominal pain and nausea in the diagnosis of streptococcal pharyngitis in boys. *Int J Gen Med*. 2017 Sep 22;10:311-318.
53. Horvath A, Dziechciarz P, Szajewska H. Meta-analysis: *Lactobacillus rhamnosus* GG for abdominal pain-related functional gastrointestinal disorders in childhood. *Aliment Pharmacol Ther*. 2011 Jun;33(12):1302-10.
54. Morreale C, Bresesti I, Bosi A, Baj A, Giaroni C, Agosti M, Salvatore S. Microbiota and Pain: Save Your Gut Feeling. *Cells*. 2022 Mar 11;11(6):971.
55. Manichanh C, Eck A, Varela E, Roca J, Clemente JC, González A, Knights D, Knight R, Estrella S, Hernandez C, Guyonnet D, Accarino A, Santos J, Malagelada JR, Guarner F, Azpiroz F. Anal gas evacuation and colonic microbiota in patients with flatulence: effect of diet. *Gut*. 2014 Mar;63(3):401-8. Epub 2013 Jun 13.
56. Gobert AP, Sagrestani G, Delmas E, Wilson KT, Verriere TG, Dapoigny M, Delhomme C, Bernalier-Donadille A. The human intestinal microbiota of constipated-predominant irritable bowel syndrome patients exhibits anti-inflammatory properties. *Sci Rep*. 2016 Dec 16;6:39399.
57. Cao H, Liu X, An Y, Zhou G, Liu Y, Xu M, Dong W, Wang S, Yan F, Jiang K, Wang B. Dysbiosis contributes to chronic constipation development via regulation of serotonin transporter in the intestine. *Sci Rep*. 2017 Sep 4;7(1):10322.
58. Nie K, Ma K, Luo W, Shen Z, Yang Z, Xiao M, Tong T, Yang Y, Wang X. *Roseburia intestinalis*: A Beneficial Gut Organism From the Discoveries in Genus and Species. *Front Cell Infect Microbiol*. 2021 Nov 22;11:757718.
59. Zhao Y, Yu YB. Intestinal microbiota and chronic constipation. *Springerplus*. 2016 Jul 19;5(1):1130.
60. Tian Y, Zuo L, Guo Q, Li J, Hu Z, Zhao K, Li C, Li X, Zhou J, Zhou Y, Li XA. Potential role of fecal microbiota in patients with constipation. *Therap Adv Gastroenterol*. 2020 Oct 31;13:1756284820968423.
61. Wick EC, Sears CL. *Bacteroides* spp. and diarrhea. *Curr Opin Infect Dis*. 2010 Oct;23(5):470-4. doi: 10.1097/QCO.0b013e32833da1eb.
62. Chung The H, Le SH. Dynamic of the human gut microbiome under infectious diarrhea. *Curr Opin Microbiol*. 2022 Apr;66:79-85.
63. Rath S, Rud T, Karch A, Pieper DH, Vital M. Pathogenic functions of host microbiota. *Microbiome*. 2018 Sep 28;6(1):174.
64. McDowell RH, Sands EM, Friedman H. *Bacillus Cereus*. [Updated 2023 Jan 23]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2023 Jan-.
65. Stevens, M.J.A., Tasara, T., Klumpp, J. et al. Whole-genome-based phylogeny of *Bacillus cytotoxicus* reveals different clades within the species and provides clues on ecology and evolution. *Sci Rep* 9, 1984 (2019).
66. Burnham, P.M., Hendrixson, D.R. *Campylobacter jejuni*: collective components promoting a successful enteric lifestyle. *Nat Rev Microbiol* 16, 551–565(2018).
67. Ranjan KP, Ranjan N. *Citrobacter*: An emerging health care associated urinary pathogen. *Urol Ann*. 2013 Oct;5(4):313-4.

References

68. <https://www.cdc.gov/cdiff/what-is.html>
69. <https://www.who.int/news-room/fact-sheets/detail/botulism>
70. <https://www.healthline.com/health/enterococcus-faecalis>
71. Zhou, X., Willems, R.J.L., Friedrich, A.W. et al. Enterococcus faecium: from microbiological insights to practical recommendations for infection control and diagnostics. Antimicrob Resist Infect Control 9, 130 (2020).
72. <https://www.webmd.com/food-recipes/food-poisoning/what-is-e-coli>
73. Chen Y, Huang Z, Tang Z, Huang Y, Huang M, Liu H, Ziebolz D, Schmalz G, Jia B, Zhao J. More Than Just a Periodontal Pathogen -the Research Progress on Fusobacterium nucleatum. Front Cell Infect Microbiol. 2022 Feb 3;12:815318.
74. <https://www.cdc.gov/hi-disease/about/types-infection.html>
75. <https://www.hopkinsmedicine.org/health/conditions-and-diseases/helicobacter-pylori>
76. <https://www.ncbi.nlm.nih.gov/books/NBK519004/>
77. <https://www.ncbi.nlm.nih.gov/books/NBK534838/>
78. <https://www.lung.org/lung-health-diseases/lung-disease-lookup/mac-lung-disease>
79. Schaffer JN, Pearson MM. Proteus mirabilis and Urinary Tract Infections. Microbiol Spectr. 2015 Oct;3(5):10.1128/microbiolspec.UTI-0017-2013.
80. <https://www.ncbi.nlm.nih.gov/books/NBK557831/>
81. Fàbrega A, Vila J. Salmonella enterica serovar Typhimurium skills to succeed in the host: virulence and regulation. Clin Microbiol Rev. 2013 Apr;26(2):308-41.
<https://www.sciencedirect.com/topics/medicine-and-dentistry/shigella-boydii>
82. Hale TL, Keusch GT. Shigella. In: Baron S, editor. Medical Microbiology. 4th edition. Galveston
83. (TX); University of Texas Medical Branch at Galveston; 1996. Chapter 22.
84. Dion CF, Ashurst JV. Streptococcus pneumoniae. [Updated 2022 Aug 8]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2023 Jan-.
 Ojeda Rodriguez JA, Kahwaji CI. Vibrio cholerae Infection. [Updated 2022 Sep 1]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2023 Jan-.
 Aziz M, Yelamanchili VS. Yersinia Enterocolitica. [Updated 2022 Jul 4]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2023 Jan-.